

FINE PORCELAIN TILES

RECTIFIED

NATURAL AND LAPPATO FINISH



PARFAIT DEMOISELLE

S P E C I F I C A T I O N

SIBERIAN SILVER

page 2-3

LONDON GREY

page 4-5

DARK CASHMERE

page 6-7

BELUGA

page 8-9

TECHNICAL DATA

page 10

TRENDY TILES
LONDON



PARFAIT
DEMOISELLE

SIBERIAN SILVER

FINE PORCELAIN TILES
RECTIFIED
NATURAL AND LAPPATO FINISH

FINE PORCELAIN TILES

RECTIFIED

NATURAL AND LAPPATO FINISH

TRENDY TILES

LONDON

PARFAIT DEMOISELLE

SIBERIAN SILVER



Size 60x60 cm



Size 30x60 cm




Size 10x30 cm

Mosaics on net



Square 5x5 cm



Linear bricks 3x10 cm



Linear bricks 6x30 cm



Random bricks

Siberian Silver natural finish code: PD-SS-N
Siberian Silver lappato finish code: PD-SS-LP

Nominal values. Caliber and shades are intended to be nominal and may have a small variations. Unless high shade variations are part of the designed trendy style.

TRENDY TILES
LONDON



PARFAIT
DEMOISELLE

LONDON GREY

FINE PORCELAIN TILES
RECTIFIED
NATURAL AND LAPPATO FINISH

FINE PORCELAIN TILES

RECTIFIED

NATURAL AND LAPPATO FINISH

TRENDY TILES

LONDON

PARFAIT DEMOISELLE

LONDON GREY



Size 60x60 cm



Size 30x60 cm



Size 10x30 cm

Mosaics on net




Square 5x5 cm



Linear bricks 3x10 cm



Linear bricks 6x30 cm



Random bricks

London Grey natural finish code: PD-LG-N
London Grey lappato finish code: PD-LG-LP

Nominal values. Caliber and shades are intended to be nominal and may have a small variations. Unless high shade variations are part of the designed trendy style.

TRENDY TILES
LONDON



PARFAIT
DEMOISELLE

DARK CASHMERE

FINE PORCELAIN TILES
RECTIFIED
NATURAL AND LAPPATO FINISH

FINE PORCELAIN TILES

RECTIFIED

NATURAL AND LAPPATO FINISH

TRENDY TILES

LONDON

PARFAIT DEMOISELLE

DARK CASHMERE



Size 60x60 cm




Size 30x60 cm



Size 10x30 cm


Mosaics on net



Square 5x5 cm



Linear bricks 3x10 cm



Linear bricks 6x30 cm



Random bricks

Dark Cashmere natural finish code: PD-DC-N
Dark Cashmere lappato finish code: PD-DC-LP

Nominal values. Caliber and shades are intended to be nominal and may have a small variations. Unless high shade variations are part of the designed trendy style.

TRENDY TILES
LONDON



PARFAIT
DEMOISELLE

BELUGA

FINE PORCELAIN TILES
RECTIFIED
NATURAL AND LAPPATO FINISH

FINE PORCELAIN TILES

RECTIFIED

NATURAL AND LAPPATO FINISH

TRENDY TILES

LONDON

PARFAIT DEMOISELLE


BELUGA



Size 60x60 cm




Size 30x60 cm




Size 10x30 cm


Mosaics on net



Square 5x5 cm



Linear bricks 3x10 cm



Linear bricks 6x30 cm



Random bricks

Beluga natural finish code: PD-BL-N
Beluga lappato finish code: PD-BL-LP

Nominal values. Caliber and shades are intended to be nominal and may have a small variations. Unless high shade variations are part of the designed trendy style.

Packaging Details

Nominal values

		CM	KG	BOXES	PCS/BOX	MQ/PALLET	KG/BOX
	1 pallet	10x30	900,00	48	30	43,20	18,00
	1 pallet	30x60	1.152,00	48	6	50,40	24,00
	1 pallet	60x60	1.020,00	40	3	43,20	25,50
	1 pallet	30x30 mosaics		48	10		20,00

Although we try to make the colours showed in this catalogue as close to real pieces as possible, they are reproduced as an indication only and they may differ from the real pieces since is impossible to get the same tone colour shade on printed paper.



CITY OF LONDON

Sizes

NOMINAL VALUES

- 10x30 cm
- 30x60 cm
- 60x60 cm
- mosaics Square 5x5 cm
- mosaics Linear bricks 3x10 cm
- mosaics Linear bricks 6x30 cm
- mosaics Random

ESTIMATES EFFECTIVE SIZES

- 9,5x29,5 cm
- 29,5x59,5 cm
- 59,8x59,8 cm
- 4,7x4,7 cm
- 2,7x9,7 cm
- 5,95x29,5 cm
- totally randomly produced

Specifications

Nominal values

TECHNICAL DATA

	STANDARD	REQUIREMENT	COLLECTION VALUE
sides	EN ISO 10545-2	± 0,6% max	conforms
thickness	EN ISO 10545-2	± 5,0% max	conforms
straightness of sides	EN ISO 10545-2	± 0,5% max	conforms
rectangularity	EN ISO 10545-2	± 0,6% max	conforms
surface flatness	EN ISO 10545-2	± 0,5% max	conforms
water absorption	EN ISO 10545-3	≤ 0,5%	conforms
bending resistance	EN ISO 10545-5	≥ 35 N/mm ²	conforms
abrasion resistance	EN ISO 10545-6	≤ 175 mm ³	conforms
coefficient of linear thermal expansion	EN ISO 10545-8	available on request	conforms
thermal shock resistance	EN ISO 10545-9	no visible defects	conforms
frost resistance	EN ISO 10545-12	no visible defects or cracks	conforms
chemical resistance	EN ISO 10545-13	no visible changes to surface	conforms
stains resistance	EN ISO 10545-14	no permanent staining	conforms
slip resistance	ASTM	wet +0,62 / dry +0,68	conforms
slip resistance	DCOF BOT 3000	average wet +0,43	conforms



TRENDY TILES LTD

london@trendytiles.com - trendytiles.com