

FINE PORCELAIN TILES

RECTIFIED

NATURAL AND LAPPATO FINISH



INEVITABLE

S P E C I F I C A T I O N

ARCTIC WHITE

page 2-3

BERING GREY

page 4-5

TECHNICAL DATA

page 6

FINE PORCELAIN TILES

RECTIFIED

NATURAL AND LAPPATO FINISH

TRENDY TILES

LONDON

INEVITABLE
ARCTIC WHITE



Size 60x60 cm



Size 30x60 cm

Mosaics on net



Square 5x5 cm



Linear bricks 3x10 cm

Arctic White natural finish code: IN-AW-N
Arctic White lappato finish code: IN-AW-LP

Nominal values. Caliber and shades are intended to be nominal and may have a small variations. Unless high shade variations are part of the designed trendy style.



FINE PORCELAIN TILES - RECTIFIED - NATURAL AND LAPPATO FINISH

ARCTIC WHITE

FINE PORCELAIN TILES

RECTIFIED

NATURAL AND LAPPATO FINISH

TRENDY TILES

LONDON

INEVITABLE
BERING GREY



Size 60x60 cm



Size 30x60 cm

Mosaics on net



Square 5x5 cm



Linear bricks 3x10 cm

Bering Grey natural finish code: IN-BG-N
Bering Grey lappato finish code: IN-BG-LP

Nominal values. Caliber and shades are intended to be nominal and may have a small variations. Unless high shade variations are part of the designed trendy style.



FINE PORCELAIN TILES - RECTIFIED - NATURAL AND LAPPATO FINISH

BERING GREY

Packaging Details

Nominal values

		CM	KG	BOXES	PCS/BOX	MQ/PALLET	KG/BOX
	1 pallet	30x60	1.160,00	40	8	57,60	28,00
	1 pallet	60x60	1.200,00	40	4	57,60	28,00
	1 pallet	30x30 mosaics	1.584,00	72	11		22,00

Specifications

Nominal values

TECHNICAL DATA	STANDARD	REQUIREMENT	COLLECTION VALUE
sides	EN ISO 10545-2	± 0,6% max	conforms
thickness	EN ISO 10545-2	± 5,0% max	conforms
straightness of sides	EN ISO 10545-2	± 0,5% max	conforms
rectangularity	EN ISO 10545-2	± 0,6% max	conforms
surface flatness	EN ISO 10545-2	± 0,5% max	conforms
water absorption	EN ISO 10545-3	≤ 0,5%	conforms
bending resistance	EN ISO 10545-5	≥ 35 N/mm ²	conforms
abrasion resistance	EN ISO 10545-6	≤ 175 mm ³	conforms
coefficient of linear thermal-expansion	EN ISO 10545-8	available on request	conforms
thermal shock resistance	EN ISO 10545-9	no visible defects	conforms
frost resistance	EN ISO 10545-12	no visible defects or cracks	conforms
chemical resistance	EN ISO 10545-13	no visible changes to surface	conforms
stains resistance	EN ISO 10545-14	no permanent staining	conforms
slip resistance	ASTM	wet +0,62 / dry +0,68	conforms
slip resistance	DCOF BOT 3000	average wet +0,43	conforms

Sizes

NOMINAL VALUES

30x60 cm
60x60 cm
mosaics Square 5x5 cm
mosaics Linear bricks 3x10 cm

ESTIMATES EFFECTIVE SIZES

29,5x59,5 cm
59,8x59,8 cm
4,7x4,7 cm
2,7x9,7 cm

Although we try to make the colours showed in this catalogue as close to real pieces as possible, they are reproduced as an indication only and they may differ from the real pieces since is impossible to get the same tone colour shade on printed paper.



→ CITY OF LONDON ←

TRENDY TILES LTD

london@trendytiles.com - trendytiles.com